



**MR CLEAN-LATE:**

Multicenter Randomized Clinical Trial of Endovascular Treatment of Acute Ischemic Stroke in The Netherlands for Late arrivals: MR CLEAN-LATE.

**Case Report Forms (CRFs) ON PAPER**

Version 1.0, April 2018

**Study number:** \_\_\_\_\_

**Inclusion date (DD/MM/YYYY):** \_\_ / \_\_ / \_\_\_\_\_

*Please complete all forms as fully as possible.  
Thank you for your cooperation.*

*Kind regards,*

*The MR CLEAN-LATE team*

*Wouter H. Hinsenveld & Robert-Jan B. Goldhoorn, Coordinating researchers*

*Wim H. van Zwam & Robert J. van Oostenbrugge, Principle investigators*

[late.trialoffice@mumc.nl](mailto:late.trialoffice@mumc.nl)

[www.mrclean-late.nl](http://www.mrclean-late.nl)



Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

## BASELINE CRF

### Medical history/comorbidities at baseline

#### Medical history of:

- Atrial fibrillation  No  Yes
- Diabetes mellitus  No  Yes
- Chronic heart failure  No  Yes
- Hypertension  No  Yes
- Hypercholesterolemia  No  Yes
- Intracranial hemorrhage  No  Yes
- Mechanical aorta and/or mitral valve replacement  No  Yes
- Myocardial infarction  No  Yes
- Peripheral artery disease  No  Yes
- Previous ischemic stroke  No  Yes
- Smoking (currently or in the past 6 months)  No  Yes

#### Medication (home) – use of:

- Antiplatelet agent(s)  No  Yes: Specify:
  - Acetylsalicylic acid/carbasalate calcium  No  Yes
  - Clopidogrel  No  Yes
  - Dipyridamol  No  Yes
  - Ticagrelor  No  Yes
  - Other: \_\_\_\_\_

- Antihypertensive drug(s)  No  Yes
- Benzodiazepine  No  Yes
- Vitamin K antagonist  No  Yes
- Direct oral anticoagulant (DOAC)  No  Yes
- Therapeutic heparin (all types, including LMWH)  No  Yes
- NSAID  No  Yes
- Statin  No  Yes

#### Pre-stroke modified Rankin Scale (mRS) score

- 0 No symptoms
- 1 Minor symptoms, no limitations
- 2 Slight disability, no help needed
- 3 Moderate disability, requires some help but able to walk on assistance
- 4 Moderate severe disability
- 5 Severe disability, completely dependent

**Pre-mRS 3-5 is an exclusion criterion, re-evaluate**

### Physical examination at baseline

#### Glasgow coma Scale

- |   |  |  |
|---|--|--|
| Eye   | Motor  | Verbal   |
| <input type="checkbox"/> 4 - Opens eyes spontaneously               | <input type="checkbox"/> 6 - Obeys commands                        | <input type="checkbox"/> 5 - Oriented/converses normally |
| <input type="checkbox"/> 3 - Opens eyes in response to voice        | <input type="checkbox"/> 5 - Localizes painful stimuli             | <input type="checkbox"/> 4 - Confused/disoriented        |
| <input type="checkbox"/> 2 - Opens eyes in resp. to painful stimuli | <input type="checkbox"/> 4 - Flexion/withdrawal to painful stimuli | <input type="checkbox"/> 3 - Utters inappropriate words  |
| <input type="checkbox"/> 1 - Does not open eyes                     | <input type="checkbox"/> 3 - Abnormal flexion to painful stimuli   | <input type="checkbox"/> 2 - Incomprehensible sounds     |
|   | <input type="checkbox"/> 2 - Extension to painful stimuli          | <input type="checkbox"/> 1 - Makes no sounds             |
|   | <input type="checkbox"/> 1 - Makes no movements                    |  |

#### Vital parameters - first intra-hospital/ER:

Round numbers except for body temperature (1 decimal)

Systolic blood pressure \_\_\_\_\_ mm Hg      Diastolic blood pressure \_\_\_\_\_ mm Hg  
 Heart rate \_\_\_\_\_ /min      Body temperature \_\_\_\_ . \_\_\_\_ °C  
 Height \_\_\_\_\_ cm      Weight \_\_\_\_\_ kg

Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

### NIHSS at baseline

#### 1A. Level of consciousness (LOC)

- 0 – Alert
- 1 – Not alert, but arousable
- 2 – Not alert, requires repeated stimulation
- 3 – Comatose

#### 1B. LOC Questions

- 0 – Answers both questions correctly
- 1 – Answers one question correctly
- 2 – Answers neither questions correctly

#### 1C. LOC Commands

- 0 – Performs both tasks correctly
- 1 – Performs one task correctly
- 2 – Performs neither tasks correctly

#### 2. Best gaze

- 0 – Normal
- 1 – Partial gaze palsy
- 2 – Forced deviation

#### 3. Visual

- 0 – No visual loss
- 1 – Partial hemianopia
- 2 – Complete hemianopia
- 3 – Bilateral hemianopia

#### 4. Facial palsy

- 0 – Normal
- 1 – Minor paralysis
- 2 – Partial paralysis
- 3 – Complete paralysis

#### 5A. Motor left arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 5B. Motor right arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6A. Motor left leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6B. Motor right leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 7. Limb ataxia

- 0 – Absent
- 1 – Present in one limb
- 2 – Present in two limbs

#### 8. Sensory

- 0 – Normal
- 1 – Mild to moderate sensory loss
- 2 – Severe or total sensory loss

#### 9. Best language

- 0 – No aphasia (normal)
- 1 – Mild to moderate aphasia
- 2 – Severe aphasia
- 3 – Mute, global aphasia

#### 10. Dysarthria

- 0 – Normal
- 1 – Mild to moderate dysarthria
- 2 – Severe dysarthria
- 9 – Intubated or other, explain: \_\_\_\_\_

#### 11. Extinction and inattention

- 0 – No abnormality
- 1 – Inattent/extinction
- 2 – Profound hemi-inattention or extinction

### Laboratory results at baseline

Round numbers, except for INR and glucose (1 decimal)

APTT	_____ sec	CRP	_____ mg/L
INR	____ . ____	Serum creatinine	_____ umol/L
Thrombocyte count	_____ *10 <sup>9</sup>	Serum glucose	____ . ____ mmol/L

### CONTRAST Biobank study blood sample at baseline

Did you take a study blood sample after randomization (+/- 1 hour before intra-arterial treatment if applicable)?  No  Yes

Did you take a study blood sample +/- 1 hour after randomization or intra-arterial treatment?  No  Yes

### (S)AE Check at baseline

Did the patient experience one or more (serious) adverse event(s)?  No  Yes (if Yes, please complete (S)AE form(s))



Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

## CLINICAL FOLLOW-UP CRF

### NIHSS at 24 hours

Date of NIHSS assessment: \_\_\_/\_\_\_/\_\_\_

#### 1A. Level of consciousness (LOC)

- 0 – Alert
- 1 – Not alert, but arousable
- 2 – Not alert, requires repeated stimulation
- 3 – Comatose

#### 1B. LOC Questions

- 0 – Answers both questions correctly
- 1 – Answers one question correctly
- 2 – Answers neither questions correctly

#### 1C. LOC Commands

- 0 – Performs both tasks correctly
- 1 – Performs one task correctly
- 2 – Performs neither tasks correctly

#### 2. Best gaze

- 0 – Normal
- 1 – Partial gaze palsy
- 2 – Forced deviation

#### 3. Visual

- 0 – No visual loss
- 1 – Partial hemianopia
- 2 – Complete hemianopia
- 3 – Bilateral hemianopia

#### 4. Facial palsy

- 0 – Normal
- 1 – Minor paralysis
- 2 – Partial paralysis
- 3 – Complete paralysis

#### 5A. Motor left arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 5B. Motor right arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6A. Motor left leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6B. Motor right leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 7. Limb ataxia

- 0 – Absent
- 1 – Present in one limb
- 2 – Present in two limbs

#### 8. Sensory

- 0 – Normal
- 1 – Mild to moderate sensory loss
- 2 – Severe or total sensory loss

#### 9. Best language

- 0 – No aphasia (normal)
- 1 – Mild to moderate aphasia
- 2 – Severe aphasia
- 3 – Mute, global aphasia

#### 10. Dysarthria

- 0 – Normal
- 1 – Mild to moderate dysarthria
- 2 – Severe dysarthria
- 9 – Intubated or other, explain: \_\_\_\_\_

#### 11. Extinction and inattention

- 0 – No abnormality
- 1 – Inattent/extinction
- 2 – Profound hemi-inattention or extinction

### CONTRAST Biobank study blood sample at 24 hours

Did you take a study blood sample at 24 hours?  No  Yes

### (S)AE Check at 24 hours

Did the patient experience one or more (serious) adverse event(s)?  No  Yes (if Yes, please complete (S)AE form(s))



Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

### NIHSS at 5-7 days (or discharge, if earlier)

Date of NIHSS assessment: \_\_\_/\_\_\_/\_\_\_

#### 1A. Level of consciousness (LOC)

- 0 – Alert
- 1 – Not alert, but arousable
- 2 – Not alert, requires repeated stimulation
- 3 – Comatose

#### 1B. LOC Questions

- 0 – Answers both questions correctly
- 1 – Answers one question correctly
- 2 – Answers neither questions correctly

#### 1C. LOC Commands

- 0 – Performs both tasks correctly
- 1 – Performs one task correctly
- 2 – Performs neither tasks correctly

#### 2. Best gaze

- 0 – Normal
- 1 – Partial gaze palsy
- 2 – Forced deviation

#### 3. Visual

- 0 – No visual loss
- 1 – Partial hemianopia
- 2 – Complete hemianopia
- 3 – Bilateral hemianopia

#### 4. Facial palsy

- 0 – Normal
- 1 – Minor paralysis
- 2 – Partial paralysis
- 3 – Complete paralysis

#### 5A. Motor left arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 5B. Motor right arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6A. Motor left leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 6B. Motor right leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

#### 7. Limb ataxia

- 0 – Absent
- 1 – Present in one limb
- 2 – Present in two limbs

#### 8. Sensory

- 0 – Normal
- 1 – Mild to moderate sensory loss
- 2 – Severe or total sensory loss

#### 9. Best language

- 0 – No aphasia (normal)
- 1 – Mild to moderate aphasia
- 2 – Severe aphasia
- 3 – Mute, global aphasia

#### 10. Dysarthria

- 0 – Normal
- 1 – Mild to moderate dysarthria
- 2 – Severe dysarthria
- 9 – Intubated or other, explain: \_\_\_\_\_

#### 11. Extinction and inattention

- 0 – No abnormality
- 1 – Inattent/extinction
- 2 – Profound hemi-inattention or extinction

### (S)AE Check at 5-7 days

Did the patient experience one or more (serious) adverse event(s)?

No  Yes (if Yes, please complete (S)AE form(s))

Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

### Discharge – Intervention center

#### Neuroimaging

- CT(A) at 24 hours performed?  No  Yes
- CT at 5-7 days performed?  No  Yes
- MRI at 5-7 days performed?  No  Yes
- Other neuroimaging performed during hospital stay?  No  Yes

#### Antithrombotic agents during hospital stay

- Any type of antithrombotic agents started?  No  Yes:
- If applicable:*
- |   |  |                        |              |                       |
|---|--|------------------------|--------------|-----------------------|
| Acetylsalicylic acid/ carbasalate calcium | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Clopidogrel                               | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Dipyridamol                               | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Ticagrelor                                | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Prophylactic heparin                      | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Therapeutic heparin                       | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Vitamin K antagonist                      | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Direct oral anticoagulant (DOAC)          | <input type="checkbox"/> No <input type="checkbox"/> Yes | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Other: _____                              |  | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |
| Other: _____                              |  | Start date ___/___/___ | Time ___:___ | Stop date ___/___/___ |

#### Interventions and diagnoses during hospital stay

- |   |  |   |
|---|--|---|
| Atrial fibrillation de novo                         | <input type="checkbox"/> No <input type="checkbox"/> Yes   | Treatment: <input type="checkbox"/> <b>0</b> - No<br><input type="checkbox"/> <b>1</b> - (Pro)thrombin injection<br><input type="checkbox"/> <b>2</b> - Compression bandage<br><input type="checkbox"/> <b>3</b> - Surgical intervention ( <b>fill out SAE form</b> )<br><input type="checkbox"/> <b>4</b> - Other: _____ |
| Aneurysma spurium                                   | <input type="checkbox"/> No <input type="checkbox"/> Yes:  |   |
| Groin hematoma                                      | <input type="checkbox"/> No <input type="checkbox"/> Yes: <b>fill out SAE form</b>                     |   |
| Intubation (excluding intubation necessary for IAT) | <input type="checkbox"/> No <input type="checkbox"/> Yes: <b>fill out SAE form</b>                     |   |
| Hemicraniectomy                                     | <input type="checkbox"/> No <input type="checkbox"/> Yes: <b>fill out SAE form</b>                     |   |
| External ventricular drain (EVD)                    | <input type="checkbox"/> No <input type="checkbox"/> Yes: <b>fill out SAE form</b>                     |   |
| Major medical/surgical intervention                 | <input type="checkbox"/> No <input type="checkbox"/> Yes: <b>fill out SAE form</b> and describe: _____ |   |

#### Admission

- |                                  |  |                          |
|----------------------------------|--|--------------------------|
| Was the patient admitted to the: |  | Total number of days in: |
| - ICU                            | <input type="checkbox"/> No <input type="checkbox"/> Yes | - ICU _____              |
| - Medium care?                   | <input type="checkbox"/> No <input type="checkbox"/> Yes | - Medium care _____      |
| - Stroke Unit?                   | <input type="checkbox"/> No <input type="checkbox"/> Yes | - Stroke Unit _____      |

#### Discharge

- Was the patient discharged  No  Yes: Date of discharge (dead or alive) \_\_\_/\_\_\_/\_\_\_
- Discharge destination:
- 0** - Patient died (**fill out SAE form**)
  - 1** - Home
  - 2** - Other hospital (**transfer; please fill out transfer CRF**)
  - 3** - Geriatric rehabilitation center
  - 4** - Nursing home long stay
  - 5** - Rehabilitation center
  - 6** - Other, please specify: \_\_\_\_\_
- Name of discharge destination: \_\_\_\_\_

### (S)AE Check at discharge – Intervention center

- Did the patient experience one or more (serious) adverse event(s) during hospital stay?  No  Yes (**if Yes, please complete (S)AE form(s)**)





Study number: 

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

**SERIOUS ADVERSE EVENT (SAE) CRF****General information**

Name investigator: \_\_\_\_\_ Signature investigator: \_\_\_\_\_

Date of report: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

**Description of SAE (in Dutch or English):**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Date of SAE onset**

Date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

**Neurological deterioration and/or neuroimaging**

Neurological deterioration of 4 points or more on NIHSS?  No  Yes

Neurological deterioration of 2 points or more on **one NIHSS Item**?  No  Yes

Was there neuroimaging performed for this SAE/Neurological deterioration?  No  Yes

**Serious Adverse Event category, please choose one:**

- 0 – Results in death
- 1 – Life threatening (at the time of event)
- 2 – Requires or prolongs hospitalization
- 3 – Results in persistent or significant disability or incapacity
- 4 – Other, please specify: \_\_\_\_\_
- 5 – Not listed above (i.e. not a **serious** adverse event)

**SAE expected?**

*An SAE is 'expected' if this is one of the known side effects of the study treatment or one of the common (potentially) serious complications after ischemic stroke.*

**If No: please report the unexpected SAE within 24 hours.**

No  Yes

**Select most likely cause of SAE, please choose one:**

- 0 – Stroke progression
- 1 – New ischemic stroke:  
 Same  Different vascular territory
- 2 – Intracranial hemorrhage
- 3 – Extracranial hemorrhage
- 4 – Cardiac ischemia
- 5 – Allergic reaction
- 6 – Pneumonia
- 7 – Other infection, please specify: \_\_\_\_\_
- 8 – Other, please specify: \_\_\_\_\_

**Was there another cause of (S)AE, you may choose multiple**

- No  Yes:
- 0 – Stroke progression
- 1 – New ischemic stroke:  
 Same  Different vascular territory
- 2 – Intracranial hemorrhage
- 3 – Extracranial hemorrhage
- 4 – Cardiac ischemia
- 5 – Allergic reaction
- 6 – Pneumonia
- 7 – Other infection: \_\_\_\_\_
- 8 – Other, please specify: \_\_\_\_\_

**Relationship with the study treatment**

- 0 – None
- 1 – Unlikely
- 2 – Possible
- 3 – Probable
- 4 – Definite

**Actions regarding the study treatment:**

- 0 – None
- 1 – Interrupted
- 2 – Discontinued
- 3 – Other, please specify: \_\_\_\_\_

**Outcome**

- 0 – Resolved without sequela(e) date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY
- 1 – Resolved with sequela(e) date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY and describe sequela(e): \_\_\_\_\_
- 2 – Ongoing (pending) \_\_\_\_\_
- 3 – Death date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

Additional (S)AE forms are available on the website: <https://mrclean-late.nl/documents.html>

Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

**Wat is een SAE?**

SAE is de afkorting van Serious Adverse Event. Een SAE is een ongewenst medisch voorval bij een patiënt of proefpersoon dat niet noodzakelijk een oorzakelijk verband heeft met de behandeling en dat:

- dodelijk is, en/of
- levensgevaar oplevert voor de proefpersoon, en/of
- opname in een ziekenhuis of verlenging van de opname noodzakelijk maakt, en/of
- blijvende of significante invaliditeit of arbeidsongeschiktheid veroorzaakt, en/of
- zich uit in een aangeboren afwijking of misvorming

Een patiënt kan meerdere SAE's hebben gedurende de follow-up period van 3 maanden. Het terugplaatsen van een botlap is een SAE, omdat de patiënt opnieuw moet worden opgenomen in het ziekenhuis. Mocht de patiënt een verkeersongeluk krijgen en moeten worden opgenomen vanwege een operatie van bijvoorbeeld de heup, dan is het wederom een SAE. De dood is per definitie een SAE, ook al is de doodsoorzaak niet gerelateerd aan de studie/het infarct. Hieronder geven we enkele voorbeelden van SAE's.

Study number:  Date of inclusion: 08/12/2017

Patient sticker/label  
OR  
Patient name: T. Jansen +  
Patient ID: 00000

**SERIOUS ADVERSE EVENT (SAE) CRF**

SAE number: 1/2/3/4/5/6/7/8/9/10

General information	
Name investigator: Dr. C	Signature investigator: _____
Date of report: 10/12/2017	
Description of SAE (in Dutch or English):	
55-year-old female patient presented with right-sided hemi paralysis and aphasia. The patient was allocated to the treatment xxx arm. The patient experienced clinical deterioration (increase NIHSS >2 points). CT-cerebrum revealed a midline shift, increase of edema, and expansion of infarcted territory on day 1. A decompressive hemicraniectomy was performed. No complications were noted during the operation.	
Date of SAE onset	
Date: 09/12/2017	
Neurological deterioration and/or neuroimaging	
Neurological deterioration of 4 points or more on NIHSS? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	SAE expected? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<b>Serious Adverse event category, please choose one:</b>	<b>SAE expected?</b>
<input type="checkbox"/> 0 - Results in death	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<input checked="" type="checkbox"/> 1 - Life threatening (at the time of event)	
<input type="checkbox"/> 2 - Requires or prolongs hospitalization	
<input type="checkbox"/> 3 - Results in persistent or significant disability or incapacity	
<input type="checkbox"/> 4 - Other, please specify: _____	
<input type="checkbox"/> 5 - Not listed above (i.e. not a serious adverse event)	
<b>Select most likely cause of SAE, please choose one:</b>	<b>Was there another cause of (S)AE, you may choose multiple</b>
<input checked="" type="checkbox"/> X 0 - Stroke progression	<input checked="" type="checkbox"/> X No <input type="checkbox"/> Yes:
<input type="checkbox"/> 1 - New ischemic stroke:	<input type="checkbox"/> 0 - Stroke progression
<input type="checkbox"/> Same = Different vascular territory	<input type="checkbox"/> 1 - New ischemic stroke:
<input type="checkbox"/> 2 - Intracranial hemorrhage	<input type="checkbox"/> Same = Different vascular territory
<input type="checkbox"/> 3 - Extracranial hemorrhage	<input type="checkbox"/> 2 - Intracranial hemorrhage
<input type="checkbox"/> 4 - Cardiac ischemia	<input type="checkbox"/> 3 - Extracranial hemorrhage
<input type="checkbox"/> 5 - Allergic reaction	<input type="checkbox"/> 4 - Cardiac ischemia
<input type="checkbox"/> 6 - Pneumonia	<input type="checkbox"/> 5 - Allergic reaction
<input type="checkbox"/> 7 - Other infection, please specify: _____	<input type="checkbox"/> 6 - Pneumonia
<input type="checkbox"/> 8 - Other, please specify: _____	<input type="checkbox"/> 7 - Other infection, please specify: _____
<input type="checkbox"/> 8 - Other, please specify: _____	<input type="checkbox"/> 8 - Other, please specify: _____
<b>Relationship with the study treatment</b>	<b>Actions regarding the study treatment:</b>
<input type="checkbox"/> 0 - None	<input checked="" type="checkbox"/> X 0 - None
<input checked="" type="checkbox"/> X 1 - Unlikely	<input type="checkbox"/> 1 - Interrupted
<input type="checkbox"/> 2 - Possible	<input type="checkbox"/> 2 - Discontinued
<input type="checkbox"/> 3 - Probable	<input type="checkbox"/> 3 - Other, please specify: _____
<input type="checkbox"/> 4 - Definite	
<b>Outcome</b>	
<input type="checkbox"/> 0 - Resolved without sequela(e) date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> 0 - Resolved without sequela(e) date: ___/___/___ DD/MM/YYYY
<input type="checkbox"/> 1 - Resolved with sequela(e) date: ___/___/___ DD/MM/YYYY and describe sequela(e): _____	<input type="checkbox"/> 1 - Resolved with sequela(e) date: ___/___/___ DD/MM/YYYY and describe sequela(e): _____
<input checked="" type="checkbox"/> X 2 - Ongoing (pending) date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> X 2 - Ongoing (pending) date: ___/___/___ DD/MM/YYYY
<input type="checkbox"/> 3 - Death date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> 3 - Death date: ___/___/___ DD/MM/YYYY

CONTRAST

Study number:  Date of inclusion: 16/12/2017

Patient sticker/label  
OR  
Patient name: A. van Berg +  
Patient ID: 00000

**SERIOUS ADVERSE EVENT (SAE) CRF**

SAE number: 1/2/3/4/5/6/7/8/9/10

General information	
Name investigator: Dr. van de G.	Signature investigator: _____
Date of report: 24/12/2017	
Description of SAE (in Dutch or English):	
69-year-old male patient was allocated to the treatment (xxx) arm. Total NIHSS score was 16 points. IAT was without complications. The patient developed fever (T: 38.9°C) on day 4. Laboratory results showed elevated CRP values. X-thorax showed no signs of infiltration. This led to prolonged hospital stay.	
Date of SAE onset	
Date: 20/12/2017	
Neurological deterioration and/or neuroimaging	
Neurological deterioration of 4 points or more on NIHSS? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	SAE expected? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<b>Serious Adverse event category, please choose one:</b>	<b>SAE expected?</b>
<input type="checkbox"/> 0 - Results in death	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<input checked="" type="checkbox"/> X 1 - Life threatening (at the time of event)	
<input type="checkbox"/> 2 - Requires or prolongs hospitalization	
<input type="checkbox"/> 3 - Results in persistent or significant disability or incapacity	
<input type="checkbox"/> 4 - Other, please specify: _____	
<input type="checkbox"/> 5 - Not listed above (i.e. not a serious adverse event)	
<b>Select most likely cause of SAE, please choose one:</b>	<b>Was there another cause of (S)AE, you may choose multiple</b>
<input type="checkbox"/> 0 - Stroke progression	<input checked="" type="checkbox"/> X No <input type="checkbox"/> Yes:
<input type="checkbox"/> 1 - New ischemic stroke:	<input type="checkbox"/> 0 - Stroke progression
<input type="checkbox"/> Same = Different vascular territory	<input type="checkbox"/> 1 - New ischemic stroke:
<input type="checkbox"/> 2 - Intracranial hemorrhage	<input type="checkbox"/> Same = Different vascular territory
<input type="checkbox"/> 3 - Extracranial hemorrhage	<input type="checkbox"/> 2 - Intracranial hemorrhage
<input type="checkbox"/> 4 - Cardiac ischemia	<input type="checkbox"/> 3 - Extracranial hemorrhage
<input type="checkbox"/> 5 - Allergic reaction	<input type="checkbox"/> 4 - Cardiac ischemia
<input checked="" type="checkbox"/> X 6 - Pneumonia	<input type="checkbox"/> 5 - Allergic reaction
<input type="checkbox"/> 7 - Other infection, please specify: _____	<input type="checkbox"/> 6 - Pneumonia
<input type="checkbox"/> 8 - Other, please specify: _____	<input type="checkbox"/> 7 - Other infection, please specify: _____
<input type="checkbox"/> 8 - Other, please specify: _____	<input type="checkbox"/> 8 - Other, please specify: _____
<b>Relationship with the study treatment</b>	<b>Actions regarding the study treatment:</b>
<input type="checkbox"/> X 0 - None	<input checked="" type="checkbox"/> X 0 - None
<input type="checkbox"/> 1 - Unlikely	<input type="checkbox"/> 1 - Interrupted
<input type="checkbox"/> 2 - Possible	<input type="checkbox"/> 2 - Discontinued
<input type="checkbox"/> 3 - Probable	<input type="checkbox"/> 3 - Other, please specify: _____
<input type="checkbox"/> 4 - Definite	
<b>Outcome</b>	
<input type="checkbox"/> 0 - Resolved without sequela(e) date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> 0 - Resolved without sequela(e) date: ___/___/___ DD/MM/YYYY
<input type="checkbox"/> 1 - Resolved with sequela(e) date: ___/___/___ DD/MM/YYYY and describe sequela(e): _____	<input type="checkbox"/> 1 - Resolved with sequela(e) date: ___/___/___ DD/MM/YYYY and describe sequela(e): _____
<input checked="" type="checkbox"/> X 2 - Ongoing (pending) date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> X 2 - Ongoing (pending) date: ___/___/___ DD/MM/YYYY
<input type="checkbox"/> 3 - Death date: ___/___/___ DD/MM/YYYY	<input type="checkbox"/> 3 - Death date: ___/___/___ DD/MM/YYYY

CONTRAST



Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

### CRFs Second hospital (transfer)

#### NIHSS at 5-7 days (or discharge, if earlier) – Second hospital (transfer)

Date of NIHSS assessment: \_\_\_/\_\_\_/\_\_\_

##### 1A. Level of consciousness (LOC)

- 0 – Alert
- 1 – Not alert, but arousable
- 2 – Not alert, requires repeated stimulation
- 3 – Comatose

##### 1B. LOC Questions

- 0 – Answers both questions correctly
- 1 – Answers one question correctly
- 2 – Answers neither questions correctly

##### 1C. LOC Commands

- 0 – Performs both tasks correctly
- 1 – Performs one task correctly
- 2 – Performs neither tasks correctly

##### 2. Best gaze

- 0 – Normal
- 1 – Partial gaze palsy
- 2 – Forced deviation

##### 3. Visual

- 0 – No visual loss
- 1 – Partial hemianopia
- 2 – Complete hemianopia
- 3 – Bilateral hemianopia

##### 4. Facial palsy

- 0 – Normal
- 1 – Minor paralysis
- 2 – Partial paralysis
- 3 – Complete paralysis

##### 5A. Motor left arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

##### 5B. Motor right arm

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

##### 6A. Motor left leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

##### 6B. Motor right leg

- 0 – No drift
- 1 – Drift
- 2 – Some effort against gravity
- 3 – No effort against gravity
- 4 – No movement
- 9 – Untestable, explain reason: \_\_\_\_\_

##### 7. Limb ataxia

- 0 – Absent
- 1 – Present in one limb
- 2 – Present in two limbs

##### 8. Sensory

- 0 – Normal
- 1 – Mild to moderate sensory loss
- 2 – Severe or total sensory loss

##### 9. Best language

- 0 – No aphasia (normal)
- 1 – Mild to moderate aphasia
- 2 – Severe aphasia
- 3 – Mute, global aphasia

##### 10. Dysarthria

- 0 – Normal
- 1 – Mild to moderate dysarthria
- 2 – Severe dysarthria
- 9 – Intubated or other, explain: \_\_\_\_\_

##### 11. Extinction and inattention

- 0 – No abnormality
- 1 – Inattent/extinction
- 2 – Profound hemi-inattention or extinction

#### (S)AE Check at 5-7 days – Second hospital (transfer)

Did the patient experience one or more (serious) adverse event(s)?

No  Yes (if Yes, please complete (S)AE form(s))

Study number:

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

### Discharge – Second hospital (transfer)

#### Neuroimaging in second hospital

Was there neuroimaging performed at your center?  No  Yes

#### Antithrombotic agents during hospital stay in second hospital

Any type of antithrombotic agents started?  No  Yes:

			<i>If applicable:</i>	
Acetylsalicylic acid/ carbasalate calcium	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Clopidogrel	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Dipyridamol	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Ticagrelor	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Prophylactic heparin	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Therapeutic heparin	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Vitamin K antagonist	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Direct oral anticoagulant (DOAC)	<input type="checkbox"/> No <input type="checkbox"/> Yes	Start date ___/___/___	Time ___:___	Stop date ___/___/___
Other: _____		Start date ___/___/___	Time ___:___	Stop date ___/___/___
Other: _____		Start date ___/___/___	Time ___:___	Stop date ___/___/___

#### Interventions and diagnoses during hospital stay in second hospital

Atrial fibrillation de novo  No  Yes

Aneurysma spurium  No  Yes: Treatment:  0 - No  
 1 - (Pro)thrombin injection  
 2 - Compression bandage  
 3 - Surgical intervention (**fill out SAE form**)  
 4 - Other: \_\_\_\_\_

Groin hematoma  No  Yes: **fill out SAE form**

Intubation (excluding intubation necessary for IAT)  No  Yes: **fill out SAE form**

Hemicraniectomy  No  Yes: **fill out SAE form**

External ventricular drain (EVD)  No  Yes: **fill out SAE form**

Major medical/surgical intervention  No  Yes: **fill out SAE form** and describe: \_\_\_\_\_

#### Admission in second hospital

Was the patient admitted to the:

- ICU	<input type="checkbox"/> No <input type="checkbox"/> Yes	Total number of days in:
- Medium care?	<input type="checkbox"/> No <input type="checkbox"/> Yes	- ICU _____
- Stroke Unit?	<input type="checkbox"/> No <input type="checkbox"/> Yes	- Medium care _____
		- Stroke Unit _____

#### Discharge (destination after second hospital)

Was the patient discharged  No  Yes: Date of discharge (dead or alive) \_\_\_/\_\_\_/\_\_\_

Discharge destination:

0 - Patient died (**fill out SAE form**)

1 - Home

2 - Other hospital

3 - Geriatric rehabilitation center

4 - Nursing home long stay

5 - Rehabilitation center

6 - Other, please specify: \_\_\_\_\_

Name of discharge destination: \_\_\_\_\_

### (S)AE Check at discharge – Second hospital (transfer)

Did the patient experience one or more (serious) adverse event(s) during hospital stay?  No  Yes (if Yes, please complete (S)AE form(s))

Study number: 

Date of inclusion: \_\_\_/\_\_\_/\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

**SERIOUS ADVERSE EVENT (SAE) CRF****General information**

Name investigator: \_\_\_\_\_ Signature investigator: \_\_\_\_\_

Date of report: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

**Description of SAE (in Dutch or English):**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Date of SAE onset**

Date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

**Neurological deterioration and/or neuroimaging**

Neurological deterioration of 4 points or more on NIHSS?  No  Yes

Neurological deterioration of 2 points or more on **one NIHSS Item**?  No  Yes

Was there neuroimaging performed for this SAE/Neurological deterioration?  No  Yes

**Serious Adverse Event category, please choose one:**

- 0 – Results in death
- 1 – Life threatening (at the time of event)
- 2 – Requires or prolongs hospitalization
- 3 – Results in persistent or significant disability or incapacity
- 4 – Other, please specify: \_\_\_\_\_
- 5 – Not listed above (i.e. not a **serious** adverse event)

**SAE expected?**

*An SAE is 'expected' if this is one of the known side effects of the study treatment or one of the common (potentially) serious complications after ischemic stroke.*

**If No: please report the unexpected SAE within 24 hours.**

No  Yes

**Select most likely cause of SAE, please choose one:**

- 0 – Stroke progression
- 1 – New ischemic stroke:  
 Same  Different vascular territory
- 2 – Intracranial hemorrhage
- 3 – Extracranial hemorrhage
- 4 – Cardiac ischemia
- 5 – Allergic reaction
- 6 – Pneumonia
- 7 – Other infection, please specify: \_\_\_\_\_
- 8 – Other, please specify: \_\_\_\_\_

**Was there another cause of (S)AE, you may choose multiple**

- No  Yes:
- 0 – Stroke progression
- 1 – New ischemic stroke:  
 Same  Different vascular territory
- 2 – Intracranial hemorrhage
- 3 – Extracranial hemorrhage
- 4 – Cardiac ischemia
- 5 – Allergic reaction
- 6 – Pneumonia
- 7 – Other infection: \_\_\_\_\_
- 8 – Other, please specify: \_\_\_\_\_

**Relationship with the study treatment**

- 0 – None
- 1 – Unlikely
- 2 – Possible
- 3 – Probable
- 4 – Definite

**Actions regarding the study treatment:**

- 0 – None
- 1 – Interrupted
- 2 – Discontinued
- 3 – Other, please specify: \_\_\_\_\_

**Outcome**

- 0 – Resolved without sequela(e) date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY
- 1 – Resolved with sequela(e) date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY and describe sequela(e): \_\_\_\_\_
- 2 – Ongoing (pending) \_\_\_\_\_
- 3 – Death date: \_\_\_/\_\_\_/\_\_\_ DD/MM/YYYY

Additional (S)AE forms are available on the website: <https://mrclean-noiv.nl/documents.html>

Study number:

Date of inclusion: \_\_\_\_/\_\_\_\_/\_\_\_\_

Patient sticker/label

OR

Patient name: \_\_\_\_\_ +

Patient ID: \_\_\_\_\_

**Wat is een SAE?**

SAE is de afkorting van Serious Adverse Event. Een SAE is een ongewenst medisch voorval bij een patiënt of proefpersoon dat niet noodzakelijk een oorzakelijk verband heeft met de behandeling en dat:

- dodelijk is, en/of
- levensgevaar oplevert voor de proefpersoon, en/of
- opname in een ziekenhuis of verlenging van de opname noodzakelijk maakt, en/of
- blijvende of significante invaliditeit of arbeidsongeschiktheid veroorzaakt, en/of
- zich uit in een aangeboren afwijking of misvorming

Een patiënt kan meerdere SAE's hebben gedurende de follow-up periode van 3 maanden. Het terugplaatsen van een botlap is een SAE, omdat de patiënt opnieuw moet worden opgenomen in het ziekenhuis. Mocht de patiënt een verkeersongeluk krijgen en moeten worden opgenomen vanwege een operatie van bijvoorbeeld de heup, dan is het wederom een SAE. De dood is per definitie een SAE, ook al is de doodsoorzaak niet gerelateerd aan de studie/het infarct. Hieronder geven we enkele voorbeelden van SAE's.

Study number: 10128 Date of inclusion: 09/12/2017

Patient sticker/label  
OR  
Patient name: T. Jansen +  
Patient ID: 00000

**SERIOUS ADVERSE EVENT (SAE) CRF**

SAE number: 1/2/3/4/5/6/7/8/9/10

General information	
Name investigator: Dr. C	Signature investigator:
Date of report: 10/12/2017	
Description of SAE (in Dutch or English):	
55-year-old female patient presented with right-sided hemiparesis and aphasia. The patient was allocated to the treatment xxx arm. The patient experienced clinical deterioration (increase NIHSS >2 points). CT-cerebrum revealed a midline shift, increase of edema, and expansion of infarcted territory on day 1. A decompressive hemicraniectomy was performed. No complications were noted during the operation.	
Date of SAE onset	
Date: 09/12/2017	
Neurological deterioration and/or neuroimaging	
Neurological deterioration of 4 points or more on NIHSS? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	
Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	
Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes	
Serious Adverse Event category, please choose one:	
<input type="checkbox"/> 0 - Results in death	SAE expected? All SAE is expected. It is one of the known side effects of the study treatment or one of the common (potential) serious complications after ischemic stroke. If No, please report the unexpected SAE within 24 hours. <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<input checked="" type="checkbox"/> 1 - Life threatening (at the time of event)	
<input type="checkbox"/> 2 - Requires or prolongs hospitalization	
<input type="checkbox"/> 3 - Results in persistent or significant disability or incapacity	
<input type="checkbox"/> 4 - Other, please specify: _____	
<input type="checkbox"/> 5 - Not listed above (i.e. not a serious adverse event)	
Select most likely cause of SAE, please choose one:	
<input checked="" type="checkbox"/> X 0 - Stroke progression	Was there another cause of (S)AE, you may choose multiple <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes
<input type="checkbox"/> 1 - New ischemic stroke: <input type="checkbox"/> Same <input type="checkbox"/> Different vascular territory	
<input type="checkbox"/> 2 - Intracranial hemorrhage	
<input type="checkbox"/> 3 - Extracranial hemorrhage	
<input type="checkbox"/> 4 - Cardiac ischemia	
<input type="checkbox"/> 5 - Allergic reaction	
<input type="checkbox"/> 6 - Pneumonia	
<input type="checkbox"/> 7 - Other infection, please specify: _____	
<input type="checkbox"/> 8 - Other, please specify: _____	
<input type="checkbox"/> 9 - Other, please specify: _____	
Relationship with the study treatment	
<input type="checkbox"/> 0 - None	Actions regarding the study treatment: <input checked="" type="checkbox"/> X 0 - None <input type="checkbox"/> 1 - Interrupted <input type="checkbox"/> 2 - Discontinued <input type="checkbox"/> 3 - Other, please specify: _____
<input checked="" type="checkbox"/> X 1 - Unlikely	
<input type="checkbox"/> 2 - Possible	
<input type="checkbox"/> 3 - Probable	
<input type="checkbox"/> 4 - Definite	
Outcome	
<input type="checkbox"/> 0 - Resolved without sequela(e) date: ____/____/____ DD/MM/YYYY	
<input type="checkbox"/> 1 - Resolved with sequela(e) date: ____/____/____ DD/MM/YYYY and describe sequela(e): _____	
<input checked="" type="checkbox"/> X 2 - Ongoing (pending) date: ____/____/____ DD/MM/YYYY	
<input type="checkbox"/> 3 - Death date: ____/____/____ DD/MM/YYYY	

CONTRAST

Study number: 20089 Date of inclusion: 16/12/2017

Patient sticker/label  
OR  
Patient name: A. van Bieng +  
Patient ID: 00000

**SERIOUS ADVERSE EVENT (SAE) CRF**

SAE number: 1/2/3/4/5/6/7/8/9/10

General information	
Name investigator: Dr. van de G.	Signature investigator:
Date of report: 24/12/2017	
Description of SAE (in Dutch or English):	
69-year-old male patient was allocated to the treatment (xxx) arm. Total NIHSS score was 16 points. IAT was without complications. The patient developed fever (T: 38.9°C) on day 4. Laboratory results showed elevated CRP values. X-thorax showed no signs of infiltration. This led to prolonged hospital stay.	
Date of SAE onset	
Date: 20/12/2017	
Neurological deterioration and/or neuroimaging	
Neurological deterioration of 4 points or more on NIHSS? <input type="checkbox"/> No <input type="checkbox"/> Yes	
Neurological deterioration of 2 points or more on one NIHSS Item? <input type="checkbox"/> No <input type="checkbox"/> Yes	
Was there neuroimaging performed for this SAE/Neurological deterioration? <input type="checkbox"/> No <input type="checkbox"/> Yes	
Serious Adverse Event category, please choose one:	
<input type="checkbox"/> 0 - Results in death	SAE expected? All SAE is expected. It is one of the known side effects of the study treatment or one of the common (potential) serious complications after ischemic stroke. If No, please report the unexpected SAE within 24 hours. <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
<input type="checkbox"/> 1 - Life threatening (at the time of event)	
<input checked="" type="checkbox"/> X 2 - Requires or prolongs hospitalization	
<input type="checkbox"/> 3 - Results in persistent or significant disability or incapacity	
<input type="checkbox"/> 4 - Other, please specify: _____	
<input type="checkbox"/> 5 - Not listed above (i.e. not a serious adverse event)	
Select most likely cause of SAE, please choose one:	
<input type="checkbox"/> 0 - Stroke progression	Was there another cause of (S)AE, you may choose multiple <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes
<input type="checkbox"/> 1 - New ischemic stroke: <input type="checkbox"/> Same <input type="checkbox"/> Different vascular territory	
<input type="checkbox"/> 2 - Intracranial hemorrhage	
<input type="checkbox"/> 3 - Extracranial hemorrhage	
<input type="checkbox"/> 4 - Cardiac ischemia	
<input type="checkbox"/> 5 - Allergic reaction	
<input checked="" type="checkbox"/> X 6 - Pneumonia	
<input type="checkbox"/> 7 - Other infection, please specify: _____	
<input type="checkbox"/> 8 - Other, please specify: _____	
<input type="checkbox"/> 9 - Other, please specify: _____	
Relationship with the study treatment	
<input checked="" type="checkbox"/> X 0 - None	Actions regarding the study treatment: <input type="checkbox"/> X 0 - None <input type="checkbox"/> 1 - Interrupted <input type="checkbox"/> 2 - Discontinued <input type="checkbox"/> 3 - Other, please specify: _____
<input type="checkbox"/> 1 - Unlikely	
<input type="checkbox"/> 2 - Possible	
<input type="checkbox"/> 3 - Probable	
<input type="checkbox"/> 4 - Definite	
Outcome	
<input type="checkbox"/> 0 - Resolved without sequela(e) date: ____/____/____ DD/MM/YYYY	
<input type="checkbox"/> 1 - Resolved with sequela(e) date: ____/____/____ DD/MM/YYYY and describe sequela(e): _____	
<input checked="" type="checkbox"/> X 2 - Ongoing (pending) date: ____/____/____ DD/MM/YYYY	
<input type="checkbox"/> 3 - Death date: ____/____/____ DD/MM/YYYY	

CONTRAST

